

## APPLICATION FOR EMPLOYMENT



Application No.	0076234	رقم الطلب
Post Required	HOUSE MAID	الوصلة
Monthly salary	\$250	الترتب الشهري
Contract period	2YRS	مدة العقد

### PASSPORT DETAILS

Number	A00929693	الرقم
Place of issue	KAMPALA	مكان الاصدار
Date of issue	29/10/2022	تاريخ الصدار
Expiry date	28/10/2032	تاريخ الانتهاء

### GENERAL DETAILS

### بيانات صاحب الطلب

Nationality	Ugandan	الجنسية
Religion	Muslim	الديانة
Date of birth	28/08/2000	مكان الميلاد
Place of birth	Bushenyi	تاريخ الميلاد
Living town	Bushenyi	مكان المسكن
Age	22YRS	العمر
Height	5.4FT	الطول
Weight	60KG	الوزن
Complexion	-	لون البشرة
Marital status	Single	الهالة لاجتماعية
No. of children	-	عدد الأطفال

### WORK EXPERIENCE ABROAD

### جيرة خازج البلد

Country	No experience	البلد
Period	-	المدة

### WORK EXPERIENCE

### جيرة العمل

تربية الاطفال	النظافة	الغسل	الطبخ
Baby sitting	Cleaning	Washing	Cooking
✓	✓	✓	✓

### APPLICATION DETAILS

Full name	NAMIREMBE SHAMUSI	الاسم الكامل
-----------	-------------------	--------------

### EDUCATION QUALIFICATION

### الدرجة العلمية

### HIGH SCHOOL

### LANGUAGE

### إجادة اللغات

	Good	Fair	Poor
English	✓		
عربي		✓	



**REMARK:** She is a well-behaved girl dedicated to work





# KEMA MEDICAL DIAGNOSTIC LABORATORY



For all Laboratory Services

Tel: 0701-188867  
0772-820889  
0752-846219  
0776-846219

Email: [kemadiagnosticlaboratory@gmail.com](mailto:kemadiagnosticlaboratory@gmail.com)



Entebbe Rd near Nakasero Mosque  
Zainabu Aziz Emporium  
L7C1-10 (Last Floor)  
P.O.BOX 8066  
Kampala - Uganda

## LABORATORY MEDICAL REPORT

NAMES

NAMIREMBE SHAMUSI

SEX:

FEMALE

AGE:

ADULT

### SEROLOGY

Tests	Results	Reference values
HIV 1 & II SCREENING TEST	NEGATIVE	NEGATIVE
HBsAg, HCV & HEV (BY ELISA / STRIP)	NEGATIVE	NEGATIVE
VDRL( SYPHILIS) TEST	NEGATIVE	NEGATIVE
KD 38 (SERUM TUBERCLOSIS)	NEGATIVE	-
WIDAL TEST		
*TYPHI (O)	NEGATIVE	-
*TYPHY (H)	NEGATIVE	-
*PARA TYPHI (A)	NEGATIVE	-
* PARA TYPHI (B)	NEGATIVE	-
WRIGHT TEST		
*BRUCELLA ABORTUS	NEGATIVE	-
*BRUCELLA MELITENSIS	NEGATIVE	-

### MICROBIOLOGY

Tests	Results	Reference values
MALARIA ORGANISM DETECTION	NEGATIVE	
PREGNANCY TEST (HCG)	NEGATIVE	

### REMARKS

LABORATORY TECHNOLOGIST'S COMMENT:

LABORATORY TECHNOLOGIST'S SIGN:

DATE: 06/11/2022

MEDICALLY FIT

CHECKED BY:

